

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID:	15558	Company Name:	Nelco Products, Inc.													
Equipment Location:	1100, 1107 East Kimberly Avenue, Anaheim, CA 92801			SIC Code: 3612												
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:														
Application #(s):	505600	Application Submittal Date(s): 1/21/2010														
AQMD Contact Person:	Hamed Mandilawi	Phone #:	E-Mail Address:													
		(909) 396-3275	hmandilawi@aqmd.gov													
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in the manufacturing of printed circuit board substrate materials for the telecommunication and internet infrastructure and high end computing markets. The facility operates four resin mixing tanks, three resin impregnation systems, two storage tanks, an abrasive blasting system, a baghouse, two thermal oxidizers, and other supporting equipment.																
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal																
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance																
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2009		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u> <table style="margin-left: 20px; width: 100%;"> <thead> <tr> <th></th> <th style="text-align: right;"><u>Emissions (lbs/yr):</u></th> </tr> </thead> <tbody> <tr> <td>Ammonia</td> <td style="text-align: right;">907</td> </tr> <tr> <td>Benzene</td> <td style="text-align: right;">0.402</td> </tr> <tr> <td>Formaldehyde</td> <td style="text-align: right;">0.856</td> </tr> <tr> <td>Naphthalene</td> <td style="text-align: right;">0.015</td> </tr> <tr> <td>PAHs</td> <td style="text-align: right;">0.005</td> </tr> </tbody> </table>				<u>Emissions (lbs/yr):</u>	Ammonia	907	Benzene	0.402	Formaldehyde	0.856	Naphthalene	0.015	PAHs	0.005
	<u>Emissions (lbs/yr):</u>															
Ammonia	907															
Benzene	0.402															
Formaldehyde	0.856															
Naphthalene	0.015															
PAHs	0.005															
Health Risk From Toxic Air Contaminants:		<input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ in one million Acute Hazard Index = _____ Chronic Hazard Index = _____														
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2009		<table style="width: 100%;"> <tbody> <tr> <td><input checked="" type="checkbox"/> NOx</td> <td>13.16</td> <td><input checked="" type="checkbox"/> PM</td> <td>0.19</td> </tr> <tr> <td><input checked="" type="checkbox"/> CO</td> <td>0.88</td> <td><input checked="" type="checkbox"/> SOx</td> <td>0.02</td> </tr> <tr> <td><input checked="" type="checkbox"/> VOC</td> <td>1.14</td> <td><input type="checkbox"/> Other:</td> <td>_____</td> </tr> </tbody> </table>			<input checked="" type="checkbox"/> NOx	13.16	<input checked="" type="checkbox"/> PM	0.19	<input checked="" type="checkbox"/> CO	0.88	<input checked="" type="checkbox"/> SOx	0.02	<input checked="" type="checkbox"/> VOC	1.14	<input type="checkbox"/> Other:	_____
<input checked="" type="checkbox"/> NOx	13.16	<input checked="" type="checkbox"/> PM	0.19													
<input checked="" type="checkbox"/> CO	0.88	<input checked="" type="checkbox"/> SOx	0.02													
<input checked="" type="checkbox"/> VOC	1.14	<input type="checkbox"/> Other:	_____													
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 0)																
Comments:																